This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims Claims 1-5 (canceled) Claim 6. (currently amended) A hot gas filtration apparatus comprising: a vessel; a plurality of filter elements mounted within said vessel and positioned such that hot gas flows through said filter elements, each of said filter elements having a porous body. The hot gas filtration apparatus of claim 1, wherein the porous body includes an outer surface and an inner surface, said porous body forming a substantially closed figure having a closed end and an open end, said open end formed to be coupled to a support structure, said porous body defining a channel beginning at said open end and terminating at said closed end through which a filtered clean gas can flow into the clean gas side of a hot gas clean up system, said porous body defining a flange at said open end for attachment to said support structure; a first catalytic layer on surfaces within the porous body; and a porous membrane positioned on said outer surface of said porous body; and said membrane including a second catalytic layer. Claim 7 (canceled) Claim 8. (currently amended) The hot gas filtration apparatus of claim 76, further comprising: a porous membrane positioned on said inner surface of said porous body; and said membrane including a third catalytic layer. Claim 9. (original) The hot gas filtration apparatus of claim 8, wherein said second and third

2

a porous membrane positioned on said inner surface of said porous body; and

Claim 10 (original) The hot gas filtration apparatus of claim 6, further comprising:

said membrane including a second catalytic layer.

catalytic layers include different catalysts.

| Claims 11 – 12 (canceled) . |
|---|
| Claim 13. (currently amended) A hot gas filtration apparatus comprising: |
| a vessel; |
| a plurality of filter elements mounted within said vessel and positioned such |
| that hot gas flows through said filter elements, each of said filter elements having a porous |
| body; and |
| a catalytic layer on surfaces within the porous body. The hot gas filtration |
| apparatus of claim 1, wherein the catalytic layer comprises: |
| a perovskite mixed catalyst of the composition ABO ₃ ; |
| wherein A includes one of an alkali, alkaline earth, rare earth, and lanthanide |
| elements; and |
| wherein B includes an element from one of groups IB, IVB, VB, VIB, VIIB, |
| and VIII. |
| Claim 14. (original) The hot gas filtration apparatus of claim 13, wherein A includes one of |
| lanthanum, strontium, and a mixture of lanthanum and strontium; and |
| wherein B includes one of cobalt, nickel, copper, and manganese. |
| Claim 15. (currently amended) A hot gas filtration apparatus comprising: |
| a vessel; |
| a plurality of filter elements mounted within said vessel and positioned such |
| that hot gas flows through said filter elements, each of said filter elements having a porous |
| body; and |
| a catalytic layer on surfaces within the porous body. The hot gas filtration |
| apparatus of claim 1, wherein the catalytic layer comprises: |
| a perovskite structure of the form $[(A_{1+x}^1A_x^2)B_{1-y}^1Me_y)O_3]$; |
| wherein A ¹ , A ² , and B ¹ each comprises a metal; and |
| |

| Claim 16. (currently amended) A hot gas filtration apparatus comprising: |
|---|
| a vessel; |
| a plurality of filter elements mounted within said vessel and positioned such |
| that hot gas flows through said filter elements, each of said filter elements having a porous |
| body; and |
| a catalytic layer on surfaces within the porous body. The hot gas filtration |
| apparatus of claim 1, wherein the catalytic layer comprises: |
| a perovskite structure of the form $(A_1)_m(A_2)_n(B_1)_p$ $(B_2)_qO_3$; |
| wherein A ₁ includes a rare earth element; |
| wherein A ₂ includes one of Sr, Ba, and Pb; |
| wherein B ₁ includes one of Ni, Co, Fe, Zn, Cu, and Mn; and |
| wherein B ₂ includes one of Ru, Os, Ir, Pt, Ti, Mo. W, Nb, Mn, Ta, and Sb. |
| Claim 17. (currently amended) A hot gas filtration apparatus comprising: |
| a vessel; |
| a plurality of filter elements mounted within said vessel and positioned such |
| that hot gas flows through said filter elements, each of said filter elements having a porous |
| body; and |
| a catalytic layer on surfaces within the porous bodyThe hot gas filtration |
| apparatus of claim-1, wherein the catalytic layer comprises: |
| a zeolite of the form $(A)[(B) O_2)_n \times H_2O)]$; |
| wherein A includes one of Na ₂ , K ₂ , Ca, and Ba; and |
| wherein B includes one of Al and Si. |
| Claim 18. (currently amended) A hot gas filtration apparatus comprising: |
| a vessel; |
| a plurality of filter elements mounted within said vessel and positioned such |
| that hot gas flows through said filter elements, each of said filter elements having a porous |
| body; and |
| a catalytic layer on surfaces within the porous bodyThe hot gas filtration |
| apparatus of claim 1, wherein the catalytic layer comprises a spinel of the form (A)(Al) Ox, |
| and wherein A includes one of Mg, Fe, Zn, and Mn. |
| Claim 19. (canceled) |